Perspectives on HIV prevention of individuals who recently acquired HIV: a qualitative study at the HIV Clinic in Antwerp, Belgium

Gert Scheerder

Best poster in Public Health

BREACH Symposium 27/11/2025



Background and aims

- Increase in new HIV infections since 2020
- Explore perspectives of people recently infected themselves
- Identify factors that influence PrEP use and missed opportunities for HIV prevention

Methods

- Case study approach in HIV clinic of Antwerp
- In-depth interviews (IDI)
 - o attitudes towards HIV prevention
 - PrEP awareness
 - HIV risk perception
 - circumstances of HIV acquisition


Results

- N=21 (April 2024 March 2025)
 - 18 men, 3 women; mean age 38 years
 - 16 MSM, 5 heterosexual
 - 16 Belgian, 5 other nationality

- Very diverse stories
- Most wanted to protect themselves from HIV infection
- Challenges at multiple levels

INDIVIDUAL level

- Limited knowledge of PrEP (e.g. in non-Belgians, young MSM)
- Not feeling at risk for HIV (anymore e.g. former PrEP users)
- Perceiving HIV as less threatening nowadays
- Concerns about PrEP and its impact on health
- Feelings of loneliness, depression or fear (of rejection), leading to reduced use of PrEP or condoms (in MSM)



Results

STRUCTURAL level

 Lack of health insurance (and thus no access to PrEP) among non-Belgians

HEALTHCARE level

Not offered PrEP from GP or outreach services

STRUCTURAL

HEALTHCARE

INTERPERSONAL

INDIVIDUAL

INTERPERSONAL level

- Negative social norms of MSM towards condoms and PrEP
- Participating in chemsex (compromising abilities to protect)
- Confidence in regular sex partners (not telling they were HIVpositive or had risky sexual contacts outside the relationship)
- Sex workers not proposing to use condoms

Recommendations: mitigating missed opportunities

- A more pro-active role for GPs to discuss PrEP
- Use HIV-testing as an opportunity for PrEP counseling
- Recommend chemsex users to start PrEP
- Reengage former PrEP users
- Address social norms of MSM toward condoms and PrEP
- Improve mental health and isolation of MSM
- Tailored messaging for heterosexuals and MSM with a migration background
- Ensure access to PrEP for uninsured people

Thanks to

Thijs Reyniers

Christiana Nöstlinger

Ella Van Landeghem

Bernadette Hensen

Lida van Petersen

Maartje Van Frankenhuijsen

Christophe Burm

Vincent Barvaux

All study participants

